

GW 04 10 17

Price List w. e. f. 04 Oct 2017

Gifa FLAME RETARDANT Multi strand single core unsheathed flexible Industrial cables in voltage grade upto and including 1100 V. 

Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ` Per Coil
GF 06 001	24 / 0.2	(90 mtr.)	0.75	24	795.00
GF 06 002	14 / 0.3	(90 mtr.)	1.0	20	985.00
GF 06 003	22 / 0.3	(90 mtr.)	1.5	16	1475.00
GF 06 004	36 / 0.3	(90 mtr.)	2.5	10	2355.00
GF 06 005	56 / 0.3	(90 mtr.)	4.0	8	3525.00
GF 06 006	84 / 0.3	(90 mtr.)	6.0	6	5220.00

Supplied in 90 mtr. box packing

GF 06 007	140 / 0.3	(90 mtr.)	10.0	5	9225.00
GF 06 008	126 / 0.4	(90 mtr.)	16.0	-	14730.00
GF 06 009	196 / 0.4	(90 mtr.)	25.0	-	23275.00
GF 06 010	276 / 0.4	(90 mtr.)	35.0	-	34690.00
GF 06 011	396 / 0.4	(90 mtr.)	50.0	-	51040.00
GF 06 012	556 / 0.4	(90 mtr.)	70.0	-	69795.00

Supplied in Polythene & cloth packing

GF 06 023	28 / 0.3	(90 mtr.)	2.0	12	1900.00
-----------	----------	-----------	-----	----	---------

Supplied in 90 mtr. box packing

Gifa FLAME RETARDANT Multi strand single core unsheathed flexible Industrial cables in voltage grade upto and including 1100 V. 

Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ` Per Coil
GF 06 029	14 / 0.3	(45 mtr.)	1.0	40	490.00
GF 06 030	22 / 0.3	(45 mtr.)	1.5	32	725.00
GF 06 031	36 / 0.3	(45 mtr.)	2.5	20	1170.00
GF 06 032	56 / 0.3	(45 mtr.)	4.0	16	1745.00
GF 06 033	84 / 0.3	(45 mtr.)	6.0	12	2540.00
GF 06 050	28 / 0.3	(45 mtr.)	2.0	24	935.00


Supplied in 45 mtr. pouch packing

GF 06 035	32 / 0.2	(180 mtr.)	1.0	10	1970.00
GF 06 036	30 / 0.2	(180 mtr.)	1.5	8	2950.00
GF 06 037	50 / 0.25	(180 mtr.)	2.5	5	4710.00
GF 06 038	56 / 0.3	(180 mtr.)	4.0	4	7050.00
GF 06 052	28 / 0.3	(180 mtr.)	2.0	6	3800.00

Supplied in 180 mtr. pouch packing

GF 06 039	24 / 0.2	(270 mtr.)	0.75	5	2385.00
GF 06 040	32 / 0.2	(270 mtr.)	1.0	5	2955.00
GF 06 041	30 / 0.2	(270 mtr.)	1.5	5	4425.00
GF 06 042	50 / 0.25	(270 mtr.)	2.5	3	7065.00
GF 06 056	28 / 0.3	(270 mtr.)	2.0	4	5700.00

Supplied in 270 mtr. pouch packing

Gifa FRLS (FIRE RETARDANT LOW SMOKE) Multi strand single core unsheathed flexible Industrial cables in voltage grade upto & including 1100 V. 

Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ` Per Coil
GF 06 062	14 / 0.3	(90 mtr.)	1.0	20	1015.00
GF 06 063	22 / 0.3	(90 mtr.)	1.5	16	1520.00
GF 06 064	36 / 0.3	(90 mtr.)	2.5	10	2445.00
GF 06 065	56 / 0.3	(90 mtr.)	4.0	8	3650.00
GF 06 061	84 / 0.3	(90 mtr.)	6.0	6	5405.00

Supplied in 90 mtr. box packing

Gifa HR FR LF (HEAT RESISTANT FLAME RETARDANT LEAD FREE) Multi strand single core unsheathed flexible Industrial cables in voltage grade upto & including 1100 V. 

Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ` Per Coil
GF 06 066	14 / 0.3	(90 mtr.)	1.0	20	1080.00
GF 06 067	22 / 0.3	(90 mtr.)	1.5	16	1620.00
GF 06 068	36 / 0.3	(90 mtr.)	2.5	10	2535.00
GF 06 069	56 / 0.3	(90 mtr.)	4.0	8	3715.00

Supplied in 90 mtr. box packing

Gifa ZHFR (ZERO HALOGEN FLAME RETARDANT) Multi strand single core unsheathed flexible Industrial cables in voltage grade upto & including 1100 V. 

Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg. M Carton	MRP ` Per Coil
GF 06 070	14 / 0.3	(90 mtr.)	1.0	20	1120.00
GF 06 071	22 / 0.3	(90 mtr.)	1.5	16	1645.00
GF 06 072	36 / 0.3	(90 mtr.)	2.5	10	2560.00
GF 06 073	56 / 0.3	(90 mtr.)	4.0	8	3695.00

Supplied in 90 mtr. box packing

Gifa PVC Insulated Single core Unsheathed solid/stranded copper wire (Industrial Cable) Voltage Grade 1100 V. as per IS:694 Twisted (VIR)

Product Code	Number / Dia of Wire in mm	Length in mtrs.	S. W. G	MRP ` Per Coil
GF 06 075	1 / 040	(90 mtr.)	1 / 19	860.00
GF 06 076	1 / 036	(90 mtr.)	1 / 20	735.00
GF 06 077	1 / 032	(90 mtr.)	1 / 21	615.00
GF 06 078	HVY 3 / 036	(90 mtr.)	3 / 20	.00
GF 06 079	ECO 3 / 036	(90 mtr.)	3 / 20	1930.00
GF 06 080	7 / 036	(90 mtr.)	7 / 20	4410.00
GF 06 082	7 / 044	(90 mtr.)	7 / 18	6490.00
GF 06 083	HVY 7 / 064	(90 mtr.)	7 / 16	13700.00
GF 06 084	ECO 7 / 064	(90 mtr.)	7 / 16	12275.00
GF 06 085	19 / 044	(90 mtr.)	19 / 18	18140.00
GF 06 086	HVY 19 / 064	(90 mtr.)	19 / 16	37595.00
GF 06 087	ECO 19 / 064	(90 mtr.)	19 / 16	33585.00
GF 06 088	19 / 083	(90 mtr.)	19 / 14	63845.00

Supplied in Polythene woven bags & cloth packing. Longer Length available on request.

Gifa Three core flat cables with bare bunched copper conductor PVC Insulated & Sheathed Industrial cables as per IS:694:1990 for SUBMERSIBLE PUMP MOTORS

Product Code	Number / Dia of Wire in mm	Length in mtrs.	Nominal Area of cond. sq. mm	MRP ` Per Coil
GF 06 109	22 / 0.3	(100 mtr.)	1.5	5765.00
GF 06 110	36 / 0.3	(100 mtr.)	2.5	8750.00
GF 06 111	56 / 0.3	(100 mtr.)	4.0	13245.00
GF 06 112	84 / 0.3	(100 mtr.)	6.0	19430.00
GF 06 113	140 / 0.3	(100 mtr.)	10.0	32510.00

Supplied in 100 mtr. Polythene & cloth packing.

GF 06 119	22 / 0.3	(500 mtr.)	1.5	28825.00
GF 06 120	36 / 0.3	(500 mtr.)	2.5	43750.00
GF 06 121	56 / 0.3	(300 mtr.)	4.0	39750.00
GF 06 122	84 / 0.3	(300 mtr.)	6.0	58290.00
GF 06 123	140 / 0.3	(300 mtr.)	10.0	97530.00

Supplied in 300 & 500 mtr. wooden drum.

Price List w. e. f. 04 Oct 2017

Gifa Branch & Drop Jelly flooded CO-AXIAL cables (Copper & CCS)

Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ` Per Coil
GF 06 128	RG-59F	(100 mtr.)		8	1785.00
GF 06 129	RG-06	(100 mtr.)		8	2050.00
GF 06 130	RG-06	(100 mtr.)	CCS	8	1460.00
GF 06 131	RG-08	(100 mtr.)		4	2670.00
GF 06 132	RG-11	(100 mtr.)		-	4305.00
Supplied in 100 mtr. Box packing.					
GF 06 143	RG-59F	(305 mtr.)		2	5767.00
GF 06 144	RG-06	(305 mtr.)		2	6482.00
GF 06 145	RG-06	(305 mtr.)	CCS	2	5074.00
GF 06 146	RG-08	(305 mtr.)		2	8348.00
GF 06 147	RG-11	(305 mtr.)		-	13849.00
Supplied in 305 mtr. wooden drum.					

Gifa Close Circuit Television (CCTV) Round Cables

Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ` Per Coil
GF 06 150	14 / 0052(3+1)	(90 mtr.)		8	2050.00
GF 06 151	14 / 0052(4+1)	(90 mtr.)		8	2295.00
Supplied in polythene packing					

Gifa Twin Flat / Twin Parallel wire

Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ` Per Coil
GF 06 158	23 / 0060	(90 mtr.)	Twin flat	10	1285.00
GF 06 159	23 / 0060	(90 mtr.)	Twin Parallel	12	1130.00
Supplied in 90 mtr. Pouch packing					

Gifa PVC insulated two core twisted Flexible copper wire

Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ` Per Coil
GF 06 170	10 / 0076	(90 mtr.)	Serial wire	24	605.00
GF 06 171	10 / 0076	(90 mtr.)	Tin coated	24	665.00
GF 06 172	14 / 0052	(90 mtr.)	Heavy	-	600.00
GF 06 174	23 / 0052	(90 mtr.)	Heavy	-	840.00
GF 06 176	35 / 0048	(90 mtr.)	Heavy	-	1150.00
GF 06 177	40 / 0052	(90 mtr.)	Heavy	-	1460.00
Supplied in 90 mtr. Pouch packing					

Gifa Speaker wire twin parallel TCBC

Product Code	No. / Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP ` Per Coil
GF 06 193	14 / 0060	(90 mtr.)	TCBC	20	735.00
GF 06 194	23 / 0060	(90 mtr.)	TCBC	20	1110.00
GF 06 195	40 / 0060	(90 mtr.)	TCBC	7	2160.00
GF 06 198	23 / 0060	(90 mtr.)	CCA	20	1145.00
GF 06 199	40 / 0060	(90 mtr.)	CCA	10	1915.00
Supplied in 90 mtr. Pouch packing					

Gifa PVC insulated sheathed ROUND FLEXIBLE copper wire

Product Code	Number / Dia of Wire in inch.	Length in mtrs.	No. of Core	MRP ` Per Coil
GF 06 206	23 / 0060	(90 mtr.)	2 Core	1440.00
GF 06 207	23 / 0060	(90 mtr.)	3 Core	2125.00
GF 06 208	40 / 0060	(90 mtr.)	2 Core	2255.00
GF 06 209	40 / 0060	(90 mtr.)	3 Core	3350.00
GF 06 210	70 / 0076	(90 mtr.)	3 Core	7290.00

Gifa Round Silk / Cotton braided copper wire

Product Code	Number / Dia of Wire in mm	Length in mtrs.		MRP ` Per Coil
GF 06 221	23 / 0060	(90 mtr.)	2 Core	1545.00
GF 06 222	23 / 0060	(90 mtr.)	3 Core	2105.00
GF 06 223	23 / 0076	(90 mtr.)	2 Core	2000.00
GF 06 224	23 / 0076	(90 mtr.)	3 Core	2780.00
Supplied in 90 mtr. Polythene packing				

Gifa COMPUTER and LAN Networking cable


Product Code	No. of Pairs	Length in mtrs.		Std. Pkg. M Carton	MRP ` Per Coil
GF 06 235	CAT 5e UTP	(305 mtr.)		4	7053.00
GF 06 236	CAT 6e UTP	(305 mtr.)		2	9582.00
GF 06 237	CAT 5e UTP	(305 mtr.)	CCS	4	4136.00
GF 06 238	CAT 6e UTP	(305 mtr.)	CCS	2	5928.00
GF 06 239	CAT 5e	(305 mtr.)	SFTP		12208.00
Supplied in 305 mtr. Box packing					

Gifa SINGLE CORE PVC insulated Aluminum conductor sheathed weather proof Service wire. (Black)


Product Code	No. / Dia of Wire in inch.	Length in yds.	S. W. G	Std. Pkg. M Carton	MRP ` Per Coil
GF 06 255	7 / 0.036	(100 yds.)	7 / 20	6	1226.00
GF 06 256	7 / 0.044	(100 yds.)	7 / 18	6	1571.00
GF 06 257	7 / 0.064	(100 yds.)	7 / 16	5	2818.00
GF 06 258	7 / 0.083	(100 yds.)	7 / 14	-	4445.00
GF 06 259	19 / 0.064	(100 yds.)	19 / 16	-	6194.00
GF 06 260	19 / 0.083	(100 yds.)	19 / 14	-	10051.00
GF 06 261	37 / 0.064	(100 yds.)	37 / 16	-	11479.00
GF 06 262	37 / 0.083	(100 yds.)	37 / 14	-	17584.00
GF 06 277	7 / 0.036	(500 yds.)	7 / 20	2	6131.00
GF 06 278	7 / 0.044	(500 yds.)	7 / 18	2	7853.00
GF 06 279	7 / 0.064	(500 yds.)	7 / 16	1	14088.00
GF 06 280	7 / 0.083	(300 yds.)	7 / 14	-	13441.00
Supplied in Polythene & cloth packing.					

Gifa TWIN FLAT PVC insulated Aluminum conductor sheathed weather proof Service wire. (Black & White)

Product Code	No. / Dia of Wire in mm	Length in yds.	S. W. G	Std. Pkg. M Carton	MRP ` Per Coil
GF 06 292	7 / 0.036	(100 yds.)	7 / 20	4	2686.00
GF 06 293	7 / 0.044	(100 yds.)	7 / 18	4	3243.00
GF 06 305	7 / 0.036	(500 yds.)	7 / 20	1	13430.00
GF 06 306	7 / 0.044	(500 yds.)	7 / 18	1	16216.00

Gifa PVC insulated sheathed SINGLE CORE SOLID Aluminium cables upto & including 1100 Volts 


Product Code	Number / Dia of Wire in inch.	Length in yds.	Nom.of area of cond. sq. Mm	MRP ` Per Coil
GF 06 317	1 / 0.070	(100 yds.)	2.5	667.00
GF 06 318	1 / 0.089	(100 yds.)	4.0	913.00
GF 06 319	1 / 0.110	(100 yds.)	6.0	1256.00
GF 06 320	1 / 0.140	(100 yds.)	10.0	1702.00

Gifa PVC insulated sheathed TWIN CORE SOLID Aluminium cables upto & including 1100 Volts 


Product Code	Number / Dia of Wire in inch.	Length in yds.	Nom.of area of cond. sq. Mm	MRP ` Per Coil
GF 06 331	1 / 0.070	(100 yds.)	2.5	1385.00
GF 06 332	1 / 0.089	(100 yds.)	4.0	1834.00
GF 06 333	1 / 0.110	(100 yds.)	6.0	2475.00
GF 06 334	1 / 0.140	(100 yds.)	10.0	3761.00

Gifa TELEPHONE SWITCHBOARD Industrial cables as per G/WIR 03/03, 06/03 & ITD S/WS 113B

Product Code	No.of Pairs	Length in mtrs.	Nominal / Dia Wire in mm	Std. Pkg. M Carton	MRP ` Per Coil
GF 06 361	1 Pair	(90 mtr.)	0.50	20	700.00
GF 06 362	2 Pairs	(90 mtr.)	0.50	14	1136.00
Supplied in pouch packing					
GF 06 363	3 Pairs	(90 mtr.)	0.50	-	1770.00
GF 06 364	4 Pairs	(90 mtr.)	0.50	-	2274.00
GF 06 365	5 Pairs	(90 mtr.)	0.50	-	2826.00
GF 06 366	6 Pairs	(90 mtr.)	0.50	-	3428.00
GF 06 367	7 Pairs	(90 mtr.)	0.50	-	3960.00
GF 06 368	8 Pairs	(90 mtr.)	0.50	-	4568.00
GF 06 369	10 Pairs	(90 mtr.)	0.50	-	5959.00
GF 06 370	12 Pairs	(90 mtr.)	0.50	-	7003.00
GF 06 371	15 Pairs	(90 mtr.)	0.50	-	8815.00
GF 06 372	20 Pairs	(90 mtr.)	0.50	-	11171.00
GF 06 373	25 Pairs	(90 mtr.)	0.50	-	14027.00
Supplied in polythene packing					
GF 06 390	1 Pair	(450 mtr.)	0.50	-	3499.00
GF 06 391	2 Pairs	(450 mtr.)	0.50	-	5680.00
Supplied in 450 mtr. Wooden Drum.					
GF 06 393	1 Pair	(90mtr.)	0.40	20	513.00
GF 06 394	2 Pairs	(90mtr.)	0.40	14	858.00
Supplied in pouch packing					
GF 06 395	1 Pair	(450mtr.)	0.40	-	2563.00
GF 06 396	2 Pairs	(450mtr.)	0.40	-	4289.00
Supplied in 450 mtr. Wooden Drum.					

Gifa PVC insulated unsheathed Electrolytic Stranded ALUMINIUM VIR conductor cable upto & including 1100 Volts 

Product Code	Number / Dia of Wire in inch.	Length in yds.	Nom.of area of cond. sq. Mm	MRP ` Per Coil
GF 06 345	1/0.055	(100 yds.)	1.5	373.00
GF 06 346	3/0.044	(100 yds.)	2.5	536.00
GF 06 347	7/0.029	(100 yds.)	4.0	726.00
GF 06 348	7/0.036	(100 yds.)	6.0	891.00
GF 06 349	7/0.044	(100 yds.)	10.0	1180.00

Gifa MULTICORE ROUND FR PVC insulated copper conductor sheathed black cables in voltage grade up to and including 1100V with bright annealed bare copper based on IS 694 : 1990 

Product Code	Size in sq. mm.	No. of Core	No. of Strands / Dia of Strand	MRP ` Per Coil
GF 06 402	0.50	2 Core	16 / 0.20	1757.00
GF 06 403	0.50	3 Core	16 / 0.20	2531.00
GF 06 404	0.50	4 Core	16 / 0.20	3306.00
GF 06 405	0.75	2 Core	24 / 0.20	2551.00
GF 06 406	0.75	3 Core	24 / 0.20	3543.00
GF 06 407	0.75	4 Core	24 / 0.20	4653.00
GF 06 408	1.00	2 Core	32 / 0.20	3260.00
GF 06 409	1.00	3 Core	32 / 0.20	4434.00
GF 06 410	1.00	4 Core	32 / 0.20	5697.00
GF 06 411	1.50	2 Core	30 / 0.25	4254.00
GF 06 412	1.50	3 Core	30 / 0.25	5785.00
GF 06 413	1.50	4 Core	30 / 0.25	7593.00
GF 06 414	2.50	2 Core	50 / 0.25	6731.00
GF 06 415	2.50	3 Core	50 / 0.25	9378.00
GF 06 416	2.50	4 Core	50 / 0.25	12475.00
GF 06 417	4.00	2 Core	56 / 0.30	9709.00
GF 06 418	4.00	3 Core	56 / 0.30	13964.00
GF 06 419	4.00	4 Core	56 / 0.30	18318.00
GF 06 420	6.00	2 Core	84 / 0.30	14368.00
GF 06 421	6.00	3 Core	84 / 0.30	20662.00
GF 06 422	6.00	4 Core	84 / 0.30	27070.00
GF 06 423	10.00	3 Core	140 / 0.30	35175.00
GF 06 424	10.00	4 Core	140 / 0.30	45399.00
GF 06 425	16.00	3 Core	101 / 0.45	64831.00
GF 06 426	16.00	4 Core	101 / 0.45	82699.00
GF 06 427	25.00	3 Core	168 / 0.45	102689.00
GF 06 428	25.00	4 Core	168 / 0.45	134900.00
GF 06 429	35.00	3 Core	220 / 0.45	137383.00
GF 06 430	35.00	4 Core	220 / 0.45	183859.00
Supplied in 100 mtr. cloth & polythene packing				